

Diethylene Glycol (DEG)

Characteristic	TEST METHOD	Unit	Value
PURITY	ASTM E - 202	WT.%	99.8 MIN
MONOETHYLENE GLYCOL	ASTM E - 202	WT.%	0.05 MAX.
TRIETHYLENE GLYCOL	ASTM E - 202	WT.%	0.05 MAX.
WATER CONTENT	ASTM E - 203	WT.%	0.05 MAX
ACIDITY AS ACETIC ACID	ASTM D - 1613	WT.%	0.005 MAX
ASH CONTENT	ASTM D - 254/A	WT.%	0.005 MAX
SP. GR. (20/20 °C)	ASTM D - 891	-	1.1175-1.1195
COLOR	ASTM D - 1209	Pt - Co	10 MAX
DISTILLATION @ 760 MM-Hg			
IBP	ASTM D - 1078	°C	242 MIN
DP	ASTM D - 1078	°C	250 MAX

DIETHYLENEGLYCOL obtained from the reaction of ethylene oxide and MEG. It is a clear, transparent and odorless liquid that can be mixed with water in any proportion.

o **Storage conditions :**

Under nitrogen blanket and at ambient temperature.

o **Packing :**

Bulk or in 220 Lit (net: 220 Kg) new drums, each 4 drums strapped on a pallet.